



TYPICAL WYE/LATERAL LAYOUT

NOTE:

1. LOCATION OF Y, CLEANOUT, AND END OF PIPE MAY BE VARIED BY INSPECTOR IF NECESSARY BECAUSE OF UNUSUAL DEPTH OR CONDITIONS. D.I. MAIN REQUIRES WYE OR TEE IN COMPLIANCE WITH A.N.S.I. A 21.10 LATEST REVISION. LATERAL PIPING SHALL MATCH MAIN LINE PIPE.
2. WHERE CONTRACTOR IS RE-CONNECTING EXIST. SANITARY LATERALS TO MAIN LINE PIPING, 2-22 1/2° BENDS SHALL BE INSTALLED TO MAKE CONNECTION IF NECESSARY. CONTRACTOR WILL BE REQUIRED TO REMOVE & REPLACE AS MUCH OF THE EXISTING LATERAL NECESSARY TO ENSURE THAT THE PROPOSED CONNECTION IS MADE IN ACCORDANCE WITH THE DETAIL AT NO ADDITIONAL COST TO THE CITY, INCLUDING MISC. RIGHT OF WAY AND PRIVATE PROPERTY IMPROVEMENTS.

CITY OF NORFOLK – DEPARTMENT OF UTILITIES
STANDARD DETAILS

SCALE:
NOT TO SCALE

TYPICAL WYE/LATERAL LAYOUT
AND PROPERTY LINE CLEANOUT DETAIL

DRAWING NO.
CS xx

DATE: 05/06